



i.LINK(IEEE1394) 3.5/2.5inch  
Portable Hard Disk Case  
**RX-35F**



## Feature

### ■ Supports both 3.5" and 2.5" HDDs

The Hard Disk Case supports internal 2.5" and 3.5" HDDs. With the RX-35F, any standard 2.5"/ 3.5" internal HDD can be used as an external storage device. It's the best way to recycle the used/ replaced HDDs from your desktop and notebook PCs!

### ■ Excellent Cost Efficiency

The RX-35F does not come with a HDD. Since any standard 2.5" or 3.5" HDD easily fits into the case, you can freely choose a HDD that best suits your needs. As internal HDDs are becoming increasingly cheaper, you have the freedom to select the most cost-effective HDD on the market to set up your external storage at a reasonable cost.

### ■ Provides an i.LINK(IEEE1394) Interface

The built-in E-IDE <-> i.LINK(IEEE1394) converter circuit turns your E-IDE hard disk into an external storage device with an i.LINK(IEEE1394) interface. As an additional plus, powerful features including Plug & Play and Hot Plug (which are not available in E-IDE devices) significantly ease hardware installation. Now, you can freely insert or extract the device without turning off the power!

### ■ Supports High-Speed Data Transfers

Since the hard disk case supports up to 400Mbps of data transfer rate, both read and write accesses to the HDD are much faster with the RX-35F.

### ■ Enables Data Exchange Between Windows and Macintosh

As the RX-35F supports Macintosh, you can easily exchange data between your Windows PC and a Macintosh.

### ■ Powerful Cooling Fan

As the capacity and rotation speed of 3.5" HDDs have increased, so has the heat generated inside the drive case. The RX-35F utilizes a sophisticated cooling fan to achieve stable performance even with a HDD that generates considerable heat.

### ■ Supplied with an AC Power Adapter

The supplied extension cable for power strips prevents the AC adapter from occupying two or more

sockets on the power strip.

- Supports IEEE1394 400Mbps High-Speed Data Transfers
- Any commercially available 3.5" or 2.5" HDD can be inserted into the case
- The built-in cooling fan and the supplied high-performance AC adapter achieve lightening-quick rotation
- Supports large-capacity HDDs
- Supplied with a driver CD-ROM for Macintosh

\*Supports only one HDD at a time:

You may not insert or use a 2.5" HDD and a 3.5" HDD at the same time. \*About RX-25H/RX-25HB

Options:

The RX-PCM, RX-DTF, RX-CAT and RX-KBA may NOT be used with the RX-35F.

**Specifications**

<b>Product Model Number</b>	<b>RX-35F</b>
<b>Standard Conformance</b>	IEEE1394:1995,IEEE1394(iverision2.0)
<b>Data Transfer Rate</b>	IEEE1394 400Mbps(11MB/sEffectiveSpeed)
<b>External Connector</b>	IEEE1394 6-pin connector x 2
<b>Internal Connector</b>	E-IDE40 pin for 3.5 inches hard disk E-IDE44 pin for 2.5 inches hard disk
<b>Supported Hard Disk Drive</b>	3.5inches hard disk drive:E-IDE hard disk drive to thickness 25.4mm (a 1 inch height). 2.5inches hard disk drive:E-IDE hard disk drive to thickness 19mm.
<b>LEDs</b>	Electric power supply
<b>Cooling Fan</b>	x1
<b>Dimensions</b>	125(W) x 40(H) x 240(D)mm
<b>Weight</b>	300g
<b>Supported Hardware</b>	PC/AT compatible based on Intel 486 processor or later with i.LINK(IEEE1394) interface or PC98-NX series. Minimum of 16MB of memory. Macintosh with iLink.

<p><b>OSes</b></p>	<p>Windows 98 Second Edition          MacOS8.6or greater,Windows2000、WindowsMe,WindowsXP</p>
<p><b>Package Contents</b></p>	<p>RX-35F,Driver Disket x1,metal fittings for 2.5inches hard disk drive,Screw for 2.5 inches hard disk fixation x 4,Screw for 3.5inches hard disk fixation x4,Rubber foot x4,i.LINK(IEEE1394)cable(6pinB) x 1m,AC Adapter,AC adapter extension code for electric power supply tap,User's Manual,Driver CD-ROM for Macintosh,User's Manual</p>

▼ Product view

