




## 3Port 10M/100M Print Server Mini300m



### Feature

#### ■ 100Mbps High-Speed Printing Environment

The print server supports both 100BASE-TX and 10BASE-T to enable high-speed data transfer. It also automatically selects the appropriate line speed via Auto-Negotiation.

#### ■ Supports Up To Three Parallel Printers

Equipped with three D-sub 25pin female parallel ports, the print server can handle print data from up to three printers. Using multiple Mini300 print servers, you can share many more printers. \*1

#### ■ Supports Multiple Protocols

A number of protocols including TCP/IP, NetBEUI, IPX/SPX and AppleTalk are supported. Since the print server automatically selects the appropriate protocol, printers can be shared in networks that utilize different protocols. \*2

#### ■ Supports a Wide Range of OSes

The print server supports Windows 95/98, Windows 2000, Windows NT 4.0/3.5x, MacOS7.6 or greater, NetWare 3.x/4.x as well as various UNIX OSes. The popular Linux distributions are also fully supported.

#### ■ Supplied with a Setup Utility for Windows

The product comes with "Smart Print Manager 2," a set up utility for Windows 95/98, Windows NT. The program allows even a beginner to setup the print server with ease.

#### ■ Supports SNMP

Complies with the de-facto network management standard "SNMP" to lighten the burden of network administration

#### ■ Upgradable Firmware

The firmware stored in the on-board flash ROM. can be upgraded to accommodate future trends and functions.

\*1 Some printers with bi-directional printing support may fail to print data properly. If this is the case, disable the bi-directional feature of your printer.

\*2 Only PostScript printers are supported in AppleTalk networks.

■ **Option Parallel Cable**

Model Number: **PS-CA discontinued**

(Use this cable when the product cannot be directly attached to the parallel connector of the printer, or when you wish to keep some distance between the printer and Mini300m.)

■ **Key Features of the Mini Series Products**

Model Number	Standard Conformance	Web Management	AppleTalk Support	SNMP Support
Mini100w	10/100Base	O	O	O
Mini100plus	10/100Base	O	O	O
Mini300plus	10/100Base	O	O	O
Mini300m	10/100Base	X	O	O
Mini300	10/100Base	O	O	O
Mini100	10/100Base	O	O	O
Mini100m	10/100Base	X	O	O
Mini2	10Base	O	O	O
Mini	10Base	X	X	X

**Specifications**

Model Number	Mini300m
<b>Standard Conformance</b>	IEEE802.3(10BADSE-T), IEEE802.3u(100BASE-TX)
<b>Network Port</b>	10BASE-T/100BASE-TX Port x 1
<b>Printer Port</b>	D-sub 25pin Parallel Port x 3
<b>AutoNegotiation</b>	Automatically detects 100Mbps/10Mbps as well as Full/Half Duplex
<b>Supported Networking Protocols</b>	TCP/IP, IPX/SPX, AppleTalk, NetBEUI (Automatic Protocol Selection)*2
<b>Configuration Method</b>	Config. Utility for Windows "Smart Print Manager"
<b>Network Management</b>	SNMP
<b>Power Supply</b>	AC Adapter
<b>Dimensions</b>	223.3(W) x 131.7(H) x 35(D)mm
<b>Weight</b>	430g
<b>Supported OSes</b>	Windows 95/98/Me, Windows 2000, Windows NT 4.0/3.51, MacOS7.6 or greater
<b>Tested Linux Distributions</b>	Redhat Linux, TurboLinux, Laser5Linux, slackware

<b>Packing List</b>	Mini300m, Setup Diskette x 1, User's Manual x 1, AC Adapter x 1
---------------------	---