


Mini300Plus 3Port 10/100Mbps Print Server



▶ Feature

The Mini300plus is a successor model to the Mini300. The compact external print server allows its users to share up to three parallel printers on a network. It utilizes the latest CPU to achieve throughput that is 1.8 times greater than that of Mini300. Equipped with these features, the print server provides a highly convenient and efficient printer sharing environment.

- **100 Mbps High Speed Printing**
Support 100Base-TX/10Base-T auto negotiation 100/10Mbps.
- **Support 3 parallel port interface printer**
Mini-300Plus has three 25pin parallel port, which can work with 3 printers in the same time and sharing with your network client.
- **Support Multiple Network Protocol**
Support TCP/IP, NetBEUI, IPX/SPX, and Apple Talk protocol.
- **Support Multiple O/S**
Support Window 98/95, NT4.0/3.5X, Mac OS 7.6 , NetWare
- **Support IEEE 1284 two way printing**
Support SNMP MIB2 Networking Management
Support HP Web JetAdmin and HP Jetadmin
Support IPP function,(internet printing protocol)
Support Firmware update

► Specification

Model Number	Mini300plus
Access Method	CSMA/CD 10/100Mbps
Standard Conformance	IEEE802.3 10BASE-T ,IEEE802.3u 100Base-TX
Data Transfer Rate	10Mbps ,100Mbps
Supported Media	UTP/STP Cable 10Mbps :Category 3 or greater 100Mbps :Category 5
LEDs	Power ,Status ,Link
CPU	188EM/40MHz
FlashROM	512KB
SRAM	128KB
Throuput	369Kbps *1
Network Port	10/100Mbps RJ-45 Port x 1
Printer Port	D-sub 25pin Parallel Port x 3
Supported Networking Protocols	TCP/IP, IPX/SPX, NetBEUI, IPP, AppleTalk
Supported OSes	Netware (BIN/NDS), Windows 95/98/Me, Windows 2000,WindowsXP, Windows NT 4.0,VariousUNIXes, MacOS(8.x or greater)
WEB-based Management	Supported
SNMP	Supported
HP Web JetAdmin/JetAdmin	Supported *2
TELNET	Supported
Flash ROM update	Supported
Power Supply	DC12V ,1A
Power Consumption	2.88W Max
Operating Humidity	0-40 degrees Celsius
Operating Humidities	35 -80 % (non-condensing)
Dimensions	137(W) x 36(H) x 210(D)mm
Weight	379g

EMI	FCC Class A,CE
Packing List	Mini300plus, Setup Diskette x 2, User's Manual x 1, AC Adapter x 1,short extension cord x 1


*1The throughput reflects the measured maximum speed. The Mini300plus may or may not attain the maximum speed, depending on the actual network environment in which the Mini300plus is placed.

*2 HP Web JetAdmin works on Windows 2000, Windows NT, HP-UX, Solaris, Red Hat Linux, SuSE Linux.Use IE4.0 or greater, or Netscape 4.0 or greater.

HP Web JetAdmin Products [HP Customer Care Online](#)

Product View

Rear View



Side View

